SUBJECT INDEX TO VOLUME XXIX

ABDOMINAL, wall, Occurrence of new-growths in the, after laparotomy, 175
Abruptio placentæ associated with spontaneous rupture of the uterus with report of two cases, 575
Abscess, Resection of the lung for, 443; An appendiceal, tr. 99; Chronic, of the prostate cured by intra-urethral procedures, 610
Actinomycosis of both ovaries and fallopian tubes; the report of a case; operation and recovery, with a tabulation of all the cases of actinomycosis of the female genitalia recorded in the literature, 569
Adrenal rests, On the presence of, in the walls of the hernial sac, 387
Adrenalin, an adjunct to and an antidote for apothesine, 92
After-Care, Operating-room technique and, of patients, 86, tr. 98
Age distribution and age incidence of cancer of the uterus, 544
Alcohol, Further experience with injections of, in treatment of coccygodynia, 612
Aluminum, Relative absorption of rays by skin, fat, and muscle, as compared with various thicknesses of, 332
Ambulatory braces in the treatment of fractures and injuries of the lower extremities, 598
American College of Surgeons, 113
Amputations, Three new, of the foot designed to retain the calcaneal tread, 177
Anus, Tuberculosis of the, 393
Apothesine, Adrenalin, an adjunct to and an antidote for, 92
Appendiceal abscess, tr. 99
Appendicitis, Gangrenous, coincident with labor, an unusual case of, the initial attack occurring in, and operated upon, during the first stage of full-term labor in a primipara, delivery, recovery, 457; Relationship between the effect caused by the method of administering paratyphoid vaccine and the onset of, cor. 616
Artery, carotid, Some points in surgery of the external, 77
Automobile inner tubes, The use of, to provide lung exercises and to make Esmarch bandages and tourniquets, 92

BAND, A fenestrated, in fractures of bone, 513
Biliary passages, The importance of early recognition of surgical conditions of the, 376
Bladder, function, A study of, 24; Secondary melanoepithelioma of the, 266; urinary, Foreign body in the, 315
Blood transfusion, Some aids in the technique of, by the paraffin tube method, 608
Bone, Transplantation of, for defects of the head and neck of the femur, 142, tr. 209; A fenestrated band in fractures of, 513
Braces, Ambulatory, in the treatment of fractures and injuries of the lower extremities, 598
Breast, Clinical efficiency and terminology in cancer of the, 44
Bridging nerve defects, The futility of, by means of nerve flaps, 287
Bullet, Removal of machine gun, from sacral canal, 606

CABALLERO'S operation, Neo-insertion of the round ligaments, 194
Cæsarean section, Elective, 554
Calcaneal tread, Three new amputations of the foot designed to retain the, 177
Calculi, Large vesical, report of a case, 481
Cancer, Intentional removal of skin and other tissues overlying deep-seated inoperable, a necessity for effective treatment with X-ray or radium with report of relative absorption of rays by skin, fat, and muscle, as compared with various thicknesses of aluminum, 325; The treatment of uterine, by radium, 242; of the breast, Clinical efficiency and terminology, 44; of the uterus, Age distribution and age incidence of, 544
Carcinoma, Combination treatment of surgery and deep therapy of inoperable deep-seated, tr. 100; Radical resection of the œsophagus for, 413; The treatment of metastatic, of the spine by deep roentgentherapy with the report of four cases, and remarks on the preoperative treatment of carcinoma, 236
Carotid artery, Some points in surgery of the external, 77
Catgut sutures, An improved method for sterilizing, 323
Cervix uteri, Tuberculosis of the, with report of a case, 1; Pregnancy and labor following amputation of the, 172, tr. 205
Chest, Gunshot injuries of the lung and, 435; wounds, Penetrating, report of 276 cases treated in a base hospital in France, 429
Chicago Gynecological Society, 205, 517
Chicago Surgical Society, 95, 99, 209
Cholesterol, Estimation of fat, sugar, and, in the blood of thirty pregnant women, 450
Coccygodynia, further experience with injections of alcohol in its treatment, 612
Combination treatment of surgery and deep therapy of inoperable deep-seated carcinoma, tr. 100
Common-duct surgery, The technique of gall-bladder and, 455
Congenital, depressions, sinuses and cysts occurring in the sacrococcygeal region, 592; radio-ulnar synostosis, 203
Cord, Torsion of the spermatic, report of two cases and review of the literature, 580
Cystocele, The etiology and treatment of, 320
Cysts, Congenital depressions, sinuses and, occurring in the sacrococcygeal region, 592

DEFECTS, The futility of bridging nerve, by means of nerve flaps, 287
Deformities, Graphic presentation of finger, 420; The radical cure of pelvic, 117
Devices useful in fracture work, 74
Diabetic gangrene, An advance in the treatment of, tr. 105
Diverticula, Notes on vesical, a modified technique of surgical attack, 28; Vesical, a clinical analysis of 21 cases, 150; of the posterior urethra, 388
Duct, common, surgery, The technique of gall-bladder and, 455
Duodenectomy, an original technique, tr. 95
Dura, Irritation of the, or inner periosteum of the skull, 52, tr. 96

ECTOPIC pregnancy, Full-term, cor. 424
Elephantiasis of the scrotum, 199
Emmet, Thomas Addis, In memoriam, 521
Empyema, The surgical treatment and prognosis of, following lagrippe, 17; Drainage in, 417
Epithelioma, Secondary melano-, of the bladder, 266
Exophthalmic, goiter, Note on the recurrence of, after thyroidectomy, 148; The surgical treatment of, and thyrotoxic, with special reference to bilateral resection, 475
External, carotid artery, Some points in surgery of the, 77
Extraperitoneal tumor complicating pregnancy, tr. 207

FÆCAL, fistulæ, Methods of closing, 312; impaction, A new sign of, 314
Fallopian tubes, Actinomycosis of both ovaries and, the report of a case, operation and recovery with a tabulation of all the cases of actinomycosis of the female genitalia recorded in the literature, 569
Fascia lata, Suspension of the uterus with a strip of, in the treatment of prolapsus, 511
Fat, Estimation of, cholesterol, and sugar in the blood of thirty pregnant women, 450
Female, Temporary sterilization of the, 577
Femoral hernia, The permanent cure of inguinal and, a modification of the standard operative procedures, 507
Femur, Gunshot fracture of the, 70; Transplantation of bone for defects of the head and neck of the, 142, tr. 209; Fracture of the neck of the, in the feeble, 201
Fibro-adenomata, Intussusception of the jejunum associated with a two-pedicled, report of a case, 489
Fibroid, Uterus bicornis unicollis with two ova implanted in one horn and a, in the other, 485; tumors of the uterus, Toxic effects of, 561
Finger deformities, Graphic presentation of, 420
Fistulæ, Methods of closing fæcal, 312
Foreign body, in the urinary bladder, 315
Fracture, A fenestrated band in, of bone, 513; Gunshot, of the femur, 70; of the neck of the, in the feeble, 201; Ambulatory braces in the treatment of, and injuries of the lower extremities, 598; work, Devices useful in, 74
Function, A study of bladder, 24

GALL-BLADDER, The technique of, and common-duct surgery, 455
Gangrene, An advance in the treatment of diabetic, tr. 165
Gasserian ganglion, Cutting the sensory root of the, for the relief of trifacial neuralgia, 334
Goiter, Note on the recurrence of exophthalmic, after thyroidectomy, 148; The surgical treatment of exophthalmic and thyrotoxic, with special reference to bilateral resection, 475
Grafts, detached omental, An experimental study of the use of, in intestinal surgery, 281
Graphic presentation of finger deformities, 420
Gunshot, fracture of the femur, 70; injuries of the lung and chest, 435; wounds, Primary suture of, with remarks upon the application of similar principles in civil surgery, 362
Gynecology, The relation of preventive medicine to, 557

HÆMOLYTIC streptococcus and influenza in Labrador, cor. 424
Hæmorrhages, Infective ("secondary"), from war wounds, a clinical and pathological study, 130; Control of, in tonsillectomies, 515
Heel, Plastic surgery of the, tr. 103
Hemiplegia, Early surgical and orthopedic treatment of, 398
Hernia, The permanent cure of inguinal and femoral, a modification of the standard operative procedures, 507
Hernial, sac, On the presence of adrenal rests in the walls of the, 387
Herniorrhaphy, Treatment of the sac in, 201
Hip, Snapping, 425
Hour-glass stomach, Intrinsic trifid or double, 75; The treatment of, 213, cor. 616
Hyperthyroidism, Prognosis in, 462
Hysterectomy, Technique for bloodless, 196; The origin of the intrapelvic treatment of the stump after supravaginal, for fibroid tumor of the uterus, 567

IMPACTION, A new sign of fæcal, 314
Infant, Megaduodenum, report of a case in an, 278
Infections, The surgical treatment of, of the knee-joint, 492
Influenza, Hæmolytic streptococcus and, in Labrador, cor. 424
Inguinal, and femoral hernia, The permanent cure of, a modification of the standard operative procedures, 507
Inserts, Beck—Intentional removal of skin and other tissues for effective treatment with X-ray or radium, opposite 325 and 328; Thomas Addis Emmet, portrait, opposite 521; Moore—Gross specimen of tuberculosis of the cervix, opposite 1; Van Hoosen—Technique for bloodless hysterectomy, opposite 196
Intestinal surgery, An experimental study of the use of detached omental grafts in, 281
Intrapelvic treatment, The origin of, of the stump after supravaginal hysterectomy for fibroid of uterus, 567
Intra-Urethral procedures, Chronic abscess of the prostate cured by, 610
Intussusception of the jejunum associated with two-pedicled fibro-adenomata, report of a case, 489
Irritation of the dura or inner periosteum of the skull, 52, tr. 96

JEJUNUM, Intussusception of the, associated with two-pedicled fibro-adenomata, report of a case, 489
Joints, The treatment of war wounds of the, 222

KIDNEY, A case of tuberculosis of the, tr. 107
Knee-joint, The surgical treatment of infections of, 492

LABOR, Pregnancy and, following amputation of the cervix uteri, 172, tr. 205; Gangrenous appendicitis occurring, during the first stage of full-term labor in a primipara, delivery, recovery, 457
Labrador, Hæmolytic streptococcus and influenza in Labrador, cor. 424
Lagrippe, The surgical treatment and prognosis of empyema following, 17
Laparotomy, Occurrence of new-growths in the abdominal wall after, 175
Leiomyomata, Malignant, 39
Ligaments, Neo-Insertion of the round, Caballero's operation, 194; round, The interstitial transplant of the round, in the treatment of selected cases of uterine retroversion, 603
Lip, Scar-Tissue tumors occurring on the mucous membrane of the lower, 340
Lung, Resection of the, for abscess, 443; Gunshot injuries of the, and chest, 435

MARKING, A method for, varicose veins for operation, 423
Megaduodenum, report of a case in an infant, 278
Melano-Epithelioma of the bladder, Secondary, 266
Monster, Parasitic, 517

NEPHROLITHOTOMY, The pre-operative and post-operative treatment to prevent recurrence of stone following, 609
Nerve, The futility of bridging, defects by means of nerve flaps, 287
Neurorrhaphy, A technique for, 416
New-Growths in abdominal wall after laparotomy, 175

OESOPHAGUS, Radical resection of the, for carcinoma, 413
Omental grafts, An experimental study of the use of detached, in intestinal surgery, 281
Operating-Room technique and after-care of patients, 86, tr. 98
Orthopedic treatment of hemiplegia, Early Surgical and, 398
Ova, Uterus bicornis unicollis with two, implanted in one horn and a fibroid in the other, 485
Ovarian residue, 537
Ovaries, Actinomycosis of both, and fallopian tubes, the report of a case, operation and recovery with a tabulation of all the cases of actinomycosis of the female genitalia recorded in the literature, 569

PAD, The use of the semilunar, with corset for the relief of visceroptosis, tr. 517
Parasitic monster, tr. 517
Parathyroid vaccine, Relationship between the effect caused by the method of administering, and the onset of appendicitis, cor. 616
Patella splint, 516
Pelvic deformity, The radical cure of, 117
Pelvis, A study of frozen sections of the, with description of an operation for pelvic prolapse, 529
Perineal methods usually employed, Prostatectomy, combining the advantages of the suprapubic and 84, tr. 97
Periosteum, Irritation of the dura or inner, of the skull, 52, tr. 96
Peritoneal incision, A simple, effective suture for closure of difficult, 422
Piles, Observations upon internal, 497
Pituitary body, Choice of method in operations upon the, 9
Placenta prævia, The treatment of certain cases of, by conservative measures, 525
Plastic surgery of the heel, tr. 103
Pregnancy, and labor following amputation of the cervix uteri, 172, tr. 205; Extraperitoneal tumor complicating, tr. 207; Full-term ectopic, cor. 424; The etiology of tubal, 560
Pregnant women, Estimation of fat, cholesterol, and sugar in the blood of, 450
Preventive medicine, The relation of, to gynecology, 557
Prognosis in hyperthyroidism, 462
Prolapse, A study of frozen sections of the pelvis with description of an operation for pelvic, 529
Prolapsus, Suspension of the uterus with a strip of fascia lata in the treatment of, 511
Prostate, A few of the factors that enter into the surgery of the, 126; Chronic abscess of, cured by intra-urethral procedures, 610
Prostatectomy combining the advantages of the suprapubic and perineal methods usually employed, 84, tr. 97
Prostatic tractor, A new straight, 80

RADIO-ULNAR synostosis, Congenital, 203
Radium, The treatment of uterine cancer by, 242
Ranula, A contribution to the surgical pathology of, 447
Rays, Relative absorption of, by skin, fat, and muscle, as compared with various thicknesses of aluminum, 332
Renal lesions, Ureteral occlusion, its relation to, 585
Resection, of the lung for post-tonsillectomy abscess, 443; Radical, of the œsophagus for carcinoma, 413
Residue, Ovarian, 537
Retroversion, and descensus, Sacral suspension of the uterus for the relief of pathological mechanical, 267; The interstitial transplant of the round ligaments in the treatment of selected cases of uterine, 603
Roentgentherapy, The treatment of metastatic carcinoma of the spine by deep, with the report of four cases and remarks on the pre-operative treatment of carcinoma, 236
Round ligaments, Neo-insertion of the, Caballero's operation, 194; The interstitial transplant of the, in the treatment of selected cases of uterine retroversion, 603
Rupture, Traumatic, of the normal spleen, 33; of the uterus, occurring twice in same patient, 574; of the uterus, Abruptio placentæ and spontaneous, 575

SAC, Treatment of the, in herniorrhaphy, 201; hernial, On the presence of adrenal rests in the walls of the, 387
Sacral, canal, Removal of machine-gun bullet from, 607; suspension of the uterus for the relief of pathological mechanical retroversion and descensus, 267
Sacrococcygeal region, Congenital depressions, sinuses and cysts occurring in, 592
Scalpel sharpening, 81
Scar-tissue tumors occurring on the mucous membrane of the lower lip, 340
Scrotum, Elephantiasis of the, 199
Secondary, hæmorrhages, Infective, from war wounds, 130; wound closure, report of 961 cases, 596
Sections, A study of frozen, of the pelvis, with a description of an operation for pelvic prolapse, 529
Semilunar pad, The use of, with corset for the relief of visceroptosis, tr. 517
Sensory root, Cutting the, of the gasserian ganglion for the relief of trifacial neuralgia, 334
Shoulder, A contribution to study of stiff and painful, 381
Sinuses, Congenital depressions, and cysts, occurring in the sacrococcygeal region, 592
Skin, Intentional removal of, and other tissues overlying deep-seated inoperable cancer, a necessity for effective treatment with X-ray and radium, 325; Relative absorption of rays by fat, muscle and, as compared with various thicknesses of aluminum, 332
Snapping hip, 425
Spermatic cord, Torsion of the, report of two cases, 580
Spine, The treatment of metastatic carcinoma of the, by deep roentgentherapy, 236
Spleen, Traumatic rupture of the normal, 33
Splint, Patella, 516
Standardization, Concerning hospital, 113
Sterilization, Temporary, of the female, 577
Sterilizing catgut suture, An improved method for, 323
Stomach, Intrinsic trifid or double hour-glass, 75; The treatment of hour-glass, 213; cor. 616
Stone, The pre-operative and postoperative treatment to prevent recurrence of, following nephrolithotomy, 609
Streptococcus, Hæmolytic, and influenza in Labrador, cor. 424
Stump, The origin of the intrapelvic treatment of the, after supravaginal hysterectomy for fibroid tumor of the uterus, 567
Sugar, Estimation of fat, cholesterol and, in the blood of thirty pregnant women, 450
Suprapubic, Prostatectomy combining the advantages of the, and perineal methods usually employed, 84, tr. 97
Surgery, of the prostate, A few of the factors that enter into the, 126; Some points in war, 348

Suture, An improved method for sterilizing catgut, 323; Primary, of gunshot wounds, 362; Asimple effective, for closure of difficult peritoneal incisions, 422
Sympus apus, 396
Synostosis, Congenital radio-ulnar, 203
Syphilis of the uterus, Secondary, 374

TECHNIQUE, Operating-room, and after-care of patients, 86, tr. 98
Tendon transposition, The surgery of, 55
Terminology in cancer of the breast, Clinical efficiency and, 44
Thyroidectomy, Note on the recurrence of exophthalmic goiter after, 148
Thyrotoxic goiter, The surgical treatment of exophthalmic and, with special reference to bilateral resection, 475
Tonsillectomy, Control of hæmorrhage in, 515
Torsion of the spermatic cord, 580
Tracheotomy, A method of, without loss of blood, 316
Tractor, A new straight prostatic, 80
Transactions, Chicago Gynecological Society, 205, 517; Chicago Surgical Society, 95, 99, 209
Transfusion, Some aids in the technique of blood, by the paraffin tube method, 608
Transplantation of bone for defects of the head and neck of the femur, 142, tr. 209
Transposition, The surgery of tendon, with special reference to the importance of the tendon sheath, 55
Treatment, Combination, of surgery and deep therapy of inoperable deep-seated carcinoma, tr. 100
Trifacial neuralgia, Cutting the sensory root of the gasserian ganglion for the relief of, 334
Trifid, Intrinsic, or double hour-glass stomach, 75
Tubal pregnancy, The etiology of, 560
Tuberculosis, of the anus, 393; of the cervix uteri, with report of a case, 1; of the kidney, A case of, tr. 107
Tubes, The use of automobile inner, to provide lung exercises and to make Esmarch bandages and tourniquets, 92
Tumor, Extraperitoneal, complicating pregnancy, tr. 207; of the uterus, Toxic effects of fibroid, 561; Scar-tissue, occurring on mucous membrane of lower lip, 340

URETERAL occlusion, its relation to renal lesions, 585
Urethra, Diverticula of the posterior, 388
Urinary bladder, Foreign body in the, 315
Uteri, Tuberculosis of the cervix, with report of a case, 1
Uterine, cancer, The treatment of, by radium, 242; retroversion, The interstitial transplant of the round ligaments in the treatment of selected cases of, 603
Uterus, Age distribution and age incidence of cancer of the, 544; Suspension of the, with a strip of fascia lata in the treatment of prolapsus, 511; Sacral suspension of the, for the relief of pathological mechanical retroversion and descensus, 267; Toxic effects of fibroid tumors of the, 561; Ruptured, occurring twice in same patient, 574; Abruptio placentæ associated with spontaneous rupture of the, with report of two cases, 575; Secondary syphilis of, 374; bicornis unicollis, 485

VACCINE, method of administering paratyphoid, Relationship between effect caused by the, and the onset of appendicitis, cor. 616
Varicose veins, A method for marking, for operation, 423
Veins, varicose, A method for marking, for operation, 423
Vesical, Large, calculi, report of a case, 481; diverticula, A note on, a modified technique of surgical attach, 28; diverticulum, A clinical analysis of 21 cases, 150
Visceroptosis, The use of semilunar pad with corset for the relief of, 517

WAR, surgery, Some points in, 348; wounds, Infective ("secondary") hæmorrhages from, a clinical and pathological study, 130; wounds, The treatment of, of the joints, 222
Wounds, Penetrating chest, report of 276 cases treated in a base hospital in France, 429; gunshot, Primary suture of, with some remarks upon the application of similar principles in civil surgery, 362; war, The treatment of, of the joints, 222; closure, Secondary, report of 961 cases, 596

X-RAY or radium, Intentional removal of skin and other tissues overlying deep-seated inoperable cancer, a necessity for effective treatment with, 325

BOOK REVIEWS

Neoplastic Diseases, a Textbook of Tumors. By James Ewing, A.M., M.D., Sc.D., 211
The Peritoneum. By Arthur E. Hertzler, M.D., F.A.C.S., 614
The Action of Muscles, Including Muscle Rest and Muscle Re-Education. By William Colin Mackenzie, M.D., F.R.C.S., F.R.S. (Edin.), 615
The Orthopedic Treatment of Gunshot Injuries. By Leo Mayer, A.M., M.D., 211
Concerning Some Headaches and Eye Disorders of Nasal Origin. By Greenfield Sluder, M.D., 615
Birth Fractures and Epiphyseal Dislocations. By Edward D. Truesdell, M.D., 211
War Surgery of the Abdomen. By Cuthbert Wallace, C.M.G., F.R.C.S. (Eng.), M.B., B.C. (Eng.), 211
Surgical Treatment; a Practical Treatise on the Therapy of Surgical Diseases for the Practitioner and Student of Surgery. By James Peter Warbasse, M.D., 210